	Hits	Search Text	DBs
1	1	((object or substrate or wafer) same (resin or photoresist or resist) same cur$4) and ((stor$4 near9 (device or container or holder)) same (liquid or solvent or ether or (TPM near6 ether)) same (electrical$4 or conductivit$4) same (remov$4 or eliminat$4 or dissolv$4) same (resin$4 or photoresist or resist or polymer)) and ((alter$4 or chang$4 or adjust$4) same (conductivit$4 or electric$4 or resistance or resistivity or impedance or voltage) same (solution or solvent) same (LED or (light near3 emit$4 near4 diode) or respons$4 or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	1	((object or substrate or wafer) same (resin or photoresist or resist) same cur$4) and ((stor$4 near9 (device or container or holder)) same (liquid or solvent or ether or (TPM near6 ether)) same (electrical$4 or conductivit$4) same (remov$4 or eliminat$4 or dissolv$4) same (resin$4 or photoresist or resist or polymer)) and ((alter$4 or chang$4 or adjust$4) same (conductivit$4 or electric$4 or resistance or resistivity or impedance or voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
3	5	((object or substrate or wafer) same (resin or photoresist or resist) same cur$4) and ((stor$4 near9 (device or container or holder)) same (liquid or solvent or ether or (TPM near6 ether)) same (remov$4 or eliminat$4 or dissolv$4) same (resin$4 or photoresist or resist or polymer)) and ((alter$4 or chang$4 or adjust$4) same (conductivit$4 or electric$4 or resistance or resistivity or impedance or voltage) same (solution or solvent) same (LED or (light near3 emit$4 near4 diode) or respons$4 or signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	19	((object or substrate or wafer) same (resin or photoresist or resist) same cur$4) and ((stor$4 near9 (device or container or holder)) same (liquid or solvent or ether or (TPM near6 ether)) same (remov$4 or eliminat$4 or dissolv$4) same (resin$4 or photoresist or resist or polymer)) and ((alter$4 or chang$4 or adjust$4) same (conductivit$4 or electric$4 or resistance or resistivity or impedance or voltage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
5	12	((object or substrate or wafer) same (resin or photoresist or resist) same cur$4) and ((stor$4 near9 (device or container or holder)) same (liquid or solvent or ether or (TPM near6 ether) or ($4propylene near4 glycol near9 ether)) same (remov$4 or eliminat$4 or dissolv$4 or develop$4) same (resin$4 or photoresist or resist or polymer)) and ((alter$4 or chang$4 or adjust$4 or increas$4) same (conductivit$4 or electric$4 or resistance or resistivity or impedance or voltage) same (liquid or solvent or solution or ether))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	44	((object or substrate or wafer or plate or template) same (resin$4 or photoresist or resist) same (cur$4 or expos$4 or irradiat$4)) and (((stor$4 near9 device) or container or holder or module or device) same (liquid or solvent or solution or ether or (TPM near6 ether) or ($4propylene near4 glycol near9 ether)) same (remov$4 or eliminat$4 or dissolv$4 or develop$4) same (resin$4 or photoresist or resist or polymer$3) same (object or substrate or wafer or device) same (immers$4 or dip$4)) and ((alter$4 or chang$4 or adjust$4 or increas$4) same (conductivit$4 or electric$4 or resistance or resistivity or impedance or voltage) same (liquid or solvent or solution or ether) same (content or amount or ratio) same (resin$4 or photoresist or resist or polymer$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	15	((object or substrate or wafer or plate or template) same (resin$4 or photoresist or resist) same (cur$4 or expos$4 or irradiat$4)) and (((stor$4 near9 device) or container or holder or bath) same (liquid or solvent or solution or ether or (TPM near6 ether) or ($4propylene near4 glycol near9 ether)) same (remov$4 or dissolv$4 or develop$4) same (resin$4 or photoresist or resist or polymer$3) same (object or substrate or wafer or device) same (immers$4 or dip$4) same ((conductivit$4 or electric$4 or conduct$4 or resistivity or resistance or impedance) near26 (increas$4 or chang$4 or alter$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	0	((resin$4 or photoresist or resist or polymer$5) same (cur$4 or expos$4 or irradiat$4 or anneal$4)) and (((stor$4 near9 device) or container or holder or bath) same (liquid or solvent or solution or ether or (TPM near6 ether) or ($4propylene near8 glycol near12 ether)) same (remov$4 or dissolv$4 or develop$4 or solubiliz$5) same (resin$4 or photoresist or resist or polymer$3) same (immers$4 or dip$4) same (conductivit$4 or electric$4 or conduct$4 or resistivity or resistance or impedance)) and ((monitor$4 or determin$4 or calculat$4) same (conductivit$4 or conductance or impedance or resistance) same (LED or (light near5 emit$5 near6 diode)) same (amount or ratio or content) same (solute or resin$4 or solution))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	0	((resin$4 or photoresist or resist or polymer$5) same (cur$4 or expos$4 or irradiat$4 or anneal$4)) and (((stor$4 near9 device) or container or holder or bath) same (liquid or solvent or solution or ether or (TPM near6 ether) or ($4propylene near8 glycol near12 ether)) same (remov$4 or dissolv$4 or develop$4 or solubiliz$5) same (resin$4 or photoresist or resist or polymer$3) same (immers$4 or dip$4) same (conductivit$4 or electric$4 or conduct$4 or resistivity or resistance or impedance)) and ((monitor$4 or determin$4 or calculat$4) same (conductivit$4 or conductance or impedance or resistance) same (LED or (light near5 emit$5 near6 diode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
10	10	(((stor$4 near9 device) or container or holder or bath) same (liquid or solvent or solution or ether or (TPM near6 ether) or ($4propylene near8 glycol near12 ether)) same (remov$4 or dissolv$4 or develop$4 or solubiliz$5) same (resin$4 or photoresist or resist or polymer$3) same (conductivit$4 or electric$4 or conduct$4 or resistivity or resistance or impedance)) and ((monitor$4 or determin$4 or calculat$4) same (conductivit$4 or conductance or impedance or resistance) same (LED or (light near5 emit$5 near6 diode) or indicator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	101	(((stor$4 near9 device) or container or holder or bath) same (liquid or solvent or solution or ether or (TPM near6 ether) or ($4propylene near8 glycol near12 ether)) same (remov$4 or dissolv$4 or develop$4 or solubiliz$5 or strip$4) same (resin$4 or photoresist or resist or polymer$3) same (conductivit$4 or electric$4 or conduct$4 or resistivity or resistance or impedance)) and ((monitor$4 or determin$4 or calculat$4) same (conductivit$4 or conductance or impedance or resistance) same (LED or (light near5 emit$5 near6 diode) or indicator or control or display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	25	(((stor$4 near9 device) or container or holder or bath) same (liquid or solvent or solution or ether or (TPM near6 ether) or ($4propylene near8 glycol near12 ether)) same (remov$4 or dissolv$4 or develop$4 or solubiliz$5 or strip$4) same (resin$4 or photoresist or resist or polymer$3) same (conductivit$4 or electric$4 or conduct$4 or resistivity or resistance or impedance)) and ((monitor$4 or determin$4 or calculat$4) same (conductivit$4 or conductance or impedance or resistance) same (LED or (light near5 emit$5 near6 diode) or indicator or (control near9 signal) or display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	56	((((stor$4 near9 device) or container or holder or bath) same (liquid or solvent or solution or ether or (TPM near6 ether) or ($4propylene near8 glycol near12 ether)) same (remov$4 or dissolv$4 or develop$4 or solubiliz$5 or strip$4) same (resin$4 or photoresist or resist or polymer$3) same (conductivit$4 or electric$4 or conduct$4 or resistivity or resistance or impedance)) and ((monitor$4 or determin$4 or calculat$4 or measur$4) same (conductivit$4 or conductance or impedance or resistance) same (LED or (light near5 emit$5 near6 diode) or indicator or controller or voltmeter or ohmmeter or galvanometer or ammeter or (display near9 panel)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
14	40	(((stor$4 near9 device) or container or holder or bath) same (liquid or solvent or solution or ether or (TPM near6 ether) or ($4propylene near8 glycol near12 ether)) same (remov$4 or dissolv$4 or develop$4 or solubiliz$5 or strip$4) same (resin$4 or photoresist or resist or polymer$3) same (conductivit$4 or electric$4 or conduct$4 or resistivity or resistance or impedance) same (alter$4 or chang$4 or increas$4 or vary$4)) and ((monitor$4 or determin$4 or calculat$4 or measur$4) same (conductivit$4 or conductance or impedance or resistance or electric$4 or current) same (LED or (light near5 emit$5 near6 diode) or indicator or controller or voltmeter or ohmmeter or galvanometer or ammeter or (display near9 panel)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	83	((bath or (storage near9 device) or solution or liquid or solvent) same (resin$4 or photoresist or resist or polymer$3) same (conductivit$4 or electric$4 or conduct$4 or resistivity or resistance or impedance) same (alter$4 or chang$4 or increas$4 or vary$4) same (monitor$4 or determin$4 or calculat$4 or measur$4) same (conductivit$4 or conductance or impedance or resistance or electric$4 or current) same (LED or (light near5 emit$5 near6 diode) or indicator or voltmeter or ohmmeter or galvanometer or ammeter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	53	((bath or (storage near9 device) or solution or liquid or solvent) same (resin$4 or photoresist or resist or polymer$3) same (conductivit$4 or electric$4 or conduct$4 or resistivity or resistance or impedance) same (alter$4 or chang$4 or increas$4 or vary$4) same (monitor$4 or determin$4 or calculat$4 or measur$4) same (conductivit$4 or conductance or impedance or resistance or electric$4 or current) same (LED or (light near5 emit$5 near6 diode) or voltmeter or ohmmeter or galvanometer or ammeter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
17	40	(((stor$4 near9 device) or container or holder or bath) same (liquid or solvent or solution or ether or (TPM near6 ether) or ($4propylene near8 glycol near12 ether)) same (remov$4 or dissolv$4 or develop$4 or solubiliz$5 or strip$4) same (resin$4 or photoresist or resist or polymer$3) same (conductivit$4 or electric$4 or conduct$4 or resistivity or resistance or impedance) same (alter$4 or chang$4 or increas$4 or vary$4)) and ((monitor$4 or determin$4 or calculat$4 or measur$4) same (conductivit$4 or conductance or impedance or resistance or electric$4 or current) same (LED or (light near5 emit$5 near6 diode) or indicator or controller or voltmeter or ohmmeter or galvanometer or ammeter or (display near9 panel)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	47	S18 NOT S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	54	((bath or (storage near9 device) or solution or liquid or solvent or strip$4) same (resin$4 or photoresist or resist or polymer$3) same (alter$4 or chang$4 or increas$4 or vary$4) same (monitor$4 or determin$4 or calculat$4 or measur$4) same (conductivit$4 or conductance or impedance or resistance or electric$4 or current) same (LED or (light near5 emit$5 near6 diode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	15	S21 NOT S20	US-PGPUB; USPAT
21	6	(((stor$4 near9 device) or container or holder or bath) same (liquid or solvent or solution or ether or (TPM near6 ether) or ($4propylene near8 glycol near12 ether)) same (remov$4 or dissolv$4 or develop$4 or solubiliz$5 or strip$4) same (resin$4 or photoresist or resist or polymer$3) same (conductivit$4 or electric$4 or conduct$4 or resistivity or resistance or impedance) same (alter$4 or chang$4 or increas$4 or vary$4)) and ((monitor$4 or determin$4 or calculat$4 or measur$4) same (conductivit$4 or conductance or impedance or resistance or electric$4 or current) same (LED or (light near5 emit$5 near6 diode)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
22	3	((monitor$4 or determin$4 or calculat$4 or measur$4) same (conductivit$4 or conductance or impedance or resistance or electric$4 or current) same (polymer$4 or resin or resist or photoresist) same (LED or (light near5 emit$5 near6 diode)) same (ammeter or (current near9 meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	185	((monitor$4 or determin$4 or calculat$4 or measur$4) same (conductivit$4 or conductance or impedance or resistance or electric$4 or current) same (polymer$4 or resin or resist or photoresist) same (light near5 emit$5 near6 diode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	266	((monitor$4 or determin$4 or calculat$4 or measur$4) same (conductivit$4 or conductance or impedance or resistance or electric$4 or current) same (LED or (light near5 emit$5 near6 diode)) same (ammeter or (current near9 meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
25	1	((monitor$4 or determin$4 or calculat$4 or measur$4) same (conductivit$4 or conductance or impedance or resistance or electric$4 or current) same (resin or photoresist or resist or polymer$4) same ((light near5 emit$5 near6 diode) or ammeter or (current near9 meter) or galvanometer or voltmeter or (conductivity near9 meter))) and ($3propylene near12 glycol near10 methyl near12 ether)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	7	((object or substrate or wafer or plate or template) same (resin$4 or photoresist or resist) same (cur$4 or expos$4 or irradiat$4) same develop$4 same laser) and (strip$4 same ($3propylene near12 glycol near10 methyl near12 ether))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	10	((object or substrate or wafer or plate or template) same (resin$4 or photoresist or resist) same (cur$4 or expos$4 or irradiat$4) same laser) and (strip$4 same ($3propylene near12 glycol near10 methyl near12 ether))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	11	((object or substrate or wafer or plate or template) same (resin$4 or photoresist or resist) same (cur$4 or expos$4 or irradiat$4)) and (strip$4 same ($3propylene near12 glycol near10 methyl near12 ether)) and laser and develop$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	55	((object or substrate or wafer or plate or template) same (resin$4 or photoresist or resist) same (cur$4 or expos$4 or irradiat$4)) and (strip$4 same ($3propylene near12 glycol near10 methyl near12 ether))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	44	S31 NOT S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	48	((object or substrate or wafer or plate or template) same (resin$4 or photoresist or resist) same (cur$4 or expos$4 or irradiat$4) same laser) and (strip$4 same (($3propylene near12 glycol near10 methyl near12 ether) or PGMEA or ether))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	113	((substrate or wafer) same (resin$4 or photoresist or resist) same (expos$4 or irradiat$4) same (laser near12 (light or UV)) same develop$4) and (strip$4 same (resin or photoresist or resist) same laser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
33	6	((substrate or wafer) same (resin$4 or photoresist or resist) same (expos$4 or irradiat$4) same (laser near12 (light or UV)) same develop$4) and (strip$4 same (resin or photoresist or resist)) and (laser near9 (advantage$4 or useful or better or good or preferred or prefer$5) near14 (expos$4 or irradiat$4 or illuminat$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	30	((substrate or wafer) same (resin$4 or photoresist or resist) same (expos$4 or irradiat$4) same laser) and (strip$4 same (resin or photoresist or resist)) and (laser near9 (advantage$4 or useful or better or good or preferred or prefer$5) near14 (expos$4 or irradiat$4 or illuminat$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB